

# 1-8x24 Exos TMR - 1-8x24 Exos LM FD7 TMR 1cm cw BDC II-B LT / Posicon CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 1-8×24 Exos from Schmidt and Bender is a highly versatile, premium hunting riflescope designed for both rapid target acquisition and effective mid-range shooting. With a magnification range of 1–8× and a 24 mm objective lens, it combines the speed of a red-dot style sight with the precision of a full zoom optic.

## Key Features and Benefits

True 1× magnification at the low end enables fast, intuitive shots with both eyes open and no magnification distortion.

Higher magnification transitions up to 8×, offering flexibility across a wide range of distances.

Wide field of view: approximately 35.3 m to 4.9 m at 100 m, providing excellent situational awareness at low magnification and fine detail at higher zoom.

Generous eye relief of 90 mm for comfortable and safe mounting across different rifle platforms.

High optical quality with an exit pupil of approximately 9.6–3.0 mm and light transmission over 90 %, ensuring bright, crisp imagery even in low light.

Compact, durable build: 30 mm main tube, length approx. 293 mm, weight around 595 g.

Adjustable illuminated reticle in certain versions for optimal visibility in varied lighting conditions.

NO IMAGE  
AVAILABLE

## Technical Highlights

Magnification: 1-8×

Objective Lens Diameter: 24 mm

Field of View: approx. 35.3–4.9 m @100 m

Exit Pupil: approx. 9.6–3.0 mm

Eye Relief: 90 mm

Transmission: >90%

Tube Diameter: 30 mm

Length: approx. 293 mm

Weight: approx. 595 g

Ideal Use Case

The 1-8×24 Exos is perfect for hunters and shooters engaging fast-moving game or participating in driven hunts where immediate reaction is needed at short distance, while still providing enough zoom to clearly identify and shoot at greater ranges. Its blend of speed, clarity, and field-ready design makes it a versatile, one-scope solution.

## Attributes

- Name: [1-8x24 Exos LM FD7 TMR 1cm cw BDC II-B LT / Posicon CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016016
- Mfr. No.: 780-811-708-P2-03B24

- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537066777

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1-8x24 Exos TMR Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for 1-8x24 Exos TMR Riflescope

## Introduction

Thank you for choosing the 1-8x24 Exos TMR Riflescope from Schmidt and Bender. This guide provides essential safety instructions to ensure the safe and effective use of your riflescope. Please read this document carefully before installation and use.

## General Safety Guidelines

- Ensure that the riflescope is used in accordance with all local laws and regulations regarding firearms and hunting.
- Always handle firearms with care and follow the basic principles of firearm safety.
- Store the riflescope in a safe, dry place when not in use to prevent damage and ensure longevity.
- Regularly inspect the riflescope for any signs of damage or wear. If any damage is found, do not use the scope until it has been repaired or replaced.
- Be aware of your surroundings and ensure that you have a clear line of sight before aiming or firing.

## Specific Safety Precautions for Use

- Always use the riflescope with the appropriate firearm and ensure that the firearm is suitable for the scope's specifications.
- Ensure that the riflescope is properly mounted and secured to the firearm before use.
- Do not look directly at the sun or any bright light source through the riflescope, as this can cause permanent eye damage.
- Use caution when adjusting the illuminated reticle. Ensure that the brightness level is appropriate for the lighting conditions to avoid visual impairment.
- Keep the riflescope clean and free from obstructions to maintain optimal performance.

## Instructions for Installation and Usage

### 1. Installation

- Select a suitable mounting platform for your riflescope.
- Align the riflescope with the mounting rings and ensure it is level.
- Securely tighten the mounting screws to prevent movement during use.
- Check the alignment and make necessary adjustments before first use.

### 2. Usage

- Before using the riflescope, ensure that it is properly calibrated to your firearm.
- Adjust the magnification to the desired level based on the shooting distance and conditions.
- Use the eye relief feature to find a comfortable viewing position while ensuring safety.
- Practice using the riflescope in a safe environment before engaging in actual shooting scenarios.

## Disposal Instructions

- Dispose of the riflescope and any packaging materials responsibly in accordance with local regulations.
- Do not dispose of the riflescope in household waste. Check for local recycling programs or hazardous waste disposal options.

## **Contact Information for Further Support**

For any questions or concerns regarding the use of your 1-8x24 Exos TMR Riflescope, please refer to the manufacturer's website or contact their customer support for assistance.

## **Conclusion**

Your safety and the safety of others is our top priority. By following the guidelines outlined in this document, you can ensure a safe and enjoyable experience with your riflescope. Thank you for your attention to these important safety instructions.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)