

1-8x24 Exos TMR - 1-8x24 Exos LM CQB2 TMR 1cm cw BDC II-B LT / Posicon CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 1-8×24 Exos from Schmidt and Bender is a highly versatile, premium hunting riflescope designed for both rapid target acquisition and effective mid-range shooting. With a magnification range of 1–8× and a 24 mm objective lens, it combines the speed of a red-dot style sight with the precision of a full zoom optic.

Key Features and Benefits

True 1× magnification at the low end enables fast, intuitive shots with both eyes open and no magnification distortion.

Higher magnification transitions up to 8×, offering flexibility across a wide range of distances.

Wide field of view: approximately 35.3 m to 4.9 m at 100 m, providing excellent situational awareness at low magnification and fine detail at higher zoom.

Generous eye relief of 90 mm for comfortable and safe mounting across different rifle platforms.

High optical quality with an exit pupil of approximately 9.6–3.0 mm and light transmission over 90 %, ensuring bright, crisp imagery even in low light.

Compact, durable build: 30 mm main tube, length approx. 293 mm, weight around 595 g.

Adjustable illuminated reticle in certain versions for optimal visibility in varied lighting conditions.

Technical Highlights

Magnification: 1–8×

Objective Lens Diameter: 24 mm

Field of View: approx. 35.3–4.9 m @100 m

Exit Pupil: approx. 9.6–3.0 mm

Eye Relief: 90 mm

Transmission: >90%

Tube Diameter: 30 mm

Length: approx. 293 mm

Weight: approx. 595 g

Ideal Use Case

The 1-8×24 Exos is perfect for hunters and shooters engaging fast-moving game or participating in driven hunts where immediate reaction is needed at short distance, while still providing enough zoom to clearly identify and shoot at greater ranges. Its blend of speed, clarity, and field-ready design makes it a versatile, one-scope solution.

Attributes

- Name: [1-8x24 Exos LM CQB2 TMR 1cm cw BDC II-B LT / Posicon CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016017
- Mfr. No.: 780-811-918-P2-03B24

NO IMAGE
AVAILABLE

- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537066784

Table of Contents

- [Startpage](#)
- [Safety Instructions for the 1-8x24 Exos TMR Riflescope](#)
- [About Us](#)

Safety Instructions for the 1-8x24 Exos TMR Riflescope

Introduction

Thank you for choosing the 1-8x24 Exos TMR Riflescope by Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your riflescope. Please read this manual thoroughly before using the product.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the riflescope by following all instructions and safety precautions.
- **Enhanced Recalls:** Stay informed about any recall notices or safety updates. If notified, follow the instructions provided.
- **Online Shopping:** When purchasing online, ensure that the retailer complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors to prevent accidents.
- **EU Contact Point:** For safety inquiries, refer to the manufacturer's contact information provided on the product packaging or website.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Proper Handling:** Always handle the riflescope with care. Avoid dropping or exposing it to extreme conditions.
- **Eye Protection:** Use appropriate eye protection when using firearms equipped with this riflescope.
- **Mounting and Adjustment:** Ensure that the riflescope is securely mounted to your firearm before use. Check for stability and alignment.
- **Use in Appropriate Conditions:** Do not use the riflescope in conditions that exceed its operational limits, such as extreme temperatures or heavy moisture.
- **Regular Inspections:** Periodically inspect the riflescope for any signs of damage or wear. If damage is found, discontinue use and seek repair or replacement.

Instructions for Installation and Usage

1. Mounting the Riflescope:

- Select a suitable mounting base for your firearm.
- Securely attach the riflescope to the mounting base, ensuring it is level and aligned with the barrel.
- Tighten the mounting screws according to the manufacturer's specifications to avoid loosening during use.

2. Adjusting the Reticle:

- Adjust the reticle according to your shooting preferences and the specific conditions of your shooting environment.
- For illuminated reticle versions, ensure that the illumination settings are adjusted for optimal visibility.

3. Using the Riflescope:

- Set the magnification to the desired level, starting with the lowest setting for easier target

acquisition.

- Place your eye at the recommended eye relief distance (90 mm) to avoid injury from recoil.
- Use both eyes open when shooting at lower magnifications to maintain situational awareness.

4. **Cleaning and Maintenance:**

- Clean the lenses with a soft, lintfree cloth. Avoid using harsh chemicals or abrasive materials.
- Store the riflescope in a cool, dry place when not in use, and cover the lenses to protect them from dust and scratches.

Disposal Instructions

- **Environmental Considerations:** Dispose of the riflescope in accordance with local regulations regarding electronic waste and hazardous materials.
- **Recycling:** If possible, recycle components of the riflescope to minimize environmental impact.

Contact Information for Further Support

For further assistance or inquiries regarding safety and use, please refer to the manufacturer's contact information available on the product packaging or website.

Thank you for prioritizing safety and responsible usage of your 1-8x24 Exos TMR Riflescope. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk