

# 3-18x42 Meta, 1.FP - 3-18x42 Meta 1.FP SBX 0.1 mrad cw ST LT / ST ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

Introducing the new 3-18x42 META (1. BE) — a groundbreaking configuration that combines cutting-edge optics, precision engineering, and a bold new aesthetic to set a new benchmark in long-range performance. Built with hunters and sport shooters in mind, this model redefines what a high-end scope can deliver.

## Key Features

Innovative SBX reticle specifically engineered for maximum targeting accuracy across a wide range of shooting scenarios.

First focal plane (FFP): the reticle scales accurately with any magnification level — ensuring flawless target acquisition whether zoomed in or out.

Completely redesigned housing and control turrets: compact, robust and ergonomically refined for intuitive operation in any field condition.

Proven high-durability turrets tested under the harshest conditions — delivering unwavering reliability when it matters most.

Optimized dioptre adjustment: now even better suited for use with auxiliary sighting devices, enabling seamless transition from eyepiece to tube.

Equipped with a tactile magnification ring (TMR) specially built to accommodate the S&B Throw Lever — making rapid zoom changes effortless.

Supplied with rugged Tenebraex lens covers to protect both objective and ocular lenses under all conditions.

NO IMAGE  
AVAILABLE

**Versatility Unleashed** Whether you're stalking game deep in the wilderness or engaging targets in competitive mid-range dynamic routines, the 3-18x42 META (1. BE) handles it all. It builds on a proven legacy and adds vital innovations that make it indispensable for demanding users.

## Attributes

- Name: [3-18x42 Meta 1.FP SBX 0.1 mrad cw ST LT / ST ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2016018
- Mfr. No.: 158-811-332-K1-H1B03
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070798

# Table of Contents

- Startpage
- Safety Instruction Guide for 318x42 META (1. BE)
- About Us

# Safety Instruction Guide for 318x42 META (1. BE)

## Introduction

Thank you for choosing the 318x42 META (1. BE) scope. This guide provides essential safety instructions to ensure safe and effective use of your product. Please read this guide carefully before using the scope.

## General Safety Guidelines

- Ensure safe use of the scope by following these general safety guidelines:
  - Always handle the scope with care to avoid damage.
  - Do not look directly at the sun through the scope, as it may cause severe eye damage.
  - Keep the scope out of reach of children to prevent accidents.
  - Use the scope only for its intended purpose — longrange shooting and target acquisition.
  - Always ensure that the area is clear of people and animals before taking a shot.

## Specific Safety Precautions for Use

- Follow these specific precautions to avoid potential hazards:
  - **Eye Safety:** Always wear appropriate eye protection while using the scope.
  - **Mounting:** Ensure that the scope is securely mounted to your firearm before use.
  - **Adjustments:** Make all adjustments to the scope while it is pointed in a safe direction.
  - **Maintenance:** Regularly check for loose screws or damaged components, and perform maintenance as needed.
  - **Weather Conditions:** Avoid using the scope in extreme weather conditions that may affect its performance.

## Instructions for Installation and Usage

- Follow these steps for proper installation and usage of your scope:

### 1. Installation:

- Choose a suitable mounting location on your rifle.
- Securely attach the scope using the provided mounting rings and screws.
- Ensure that the scope is level and aligned with the rifle barrel.

### 2. Usage:

- Adjust the magnification using the tactile magnification ring (TMR).
- Use the SBX reticle for accurate targeting at various distances.
- Adjust the dioptre setting for optimal clarity based on your eyesight.
- Familiarize yourself with the control turrets for windage and elevation adjustments.

### 3. PostUse:

- Clean the lenses with a soft, dry cloth to maintain clarity.
- Store the scope in a dry, cool place when not in use.

## Disposal Instructions

- Dispose of the product responsibly:
  - Follow local regulations for the disposal of optical equipment.

- Do not dispose of the scope in household waste.
- If the scope is damaged beyond repair, consider recycling materials where applicable.

## Contact Information for Further Support

- For any safety inquiries or support, please refer to the EU contact point for product safety.

## Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your 318x42 META (1. BE) scope. Always prioritize safety in every aspect of usage, and do not hesitate to reach out for support if needed. Thank you for your attention to these guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)